

## DIRECTORATE OF FOOD SAFETY AND QUALITY ASSURANCE PRIVATE BAG X5015, STELLENBOSCH, 7599

Tel: (021) 8091688 - Fax: (021) 8876392/6 - E-mail: rhonelb@nda.agric.za

## Enquiries : RHONEL BASSON - Ref : 19/2/1

1. CERTIFICATE NUMBER: 2. PRODUCER: DIEMERSFONTEIN WINES (PTY) LTD*MESSRS P 0 BOX 41 WELLINGTON 7654 SOUTH AFRICA 3. DESCRIPTION OF PRODUCT: 2010 THOKOZANI SMV NATURAL DRY RED WINE VINTAGE: 2010 CULTIVAR: SHIRAZ / MATARO (MOURVEDRE) / VIOGNER ORIGIN: W.O. WELLINGTON / SOUTH AFRICA 4. CHECK APPLICABLE BOX:  A. ☑ Producing country certification and laboratory analysis results completed below.  B. ☐ Self-certification by importer completed below. An importer must be able to demonstrate the nature of ownership or control as well as the nature of any affiliation.  5. CERTIFICATION: CERTIFYING ENTITY: DIRECTORATE OF FOOD SAFETY AND QUALITY ASSURANCE PRIVATE BAG X5015 STELLENBOSCH 7599 SOUTH AFRICA  ANALYSIS RESULTS  1. PERCENTAGE ALCOHOL 2. ANALYSIS RESULTS  1. PERCENTAGE ALCOHOL 2. TOTAL SULPHUR DIOXIDE 55.00 mg per Litre 2. ANALYSIS RESULTS  LABORATORY: DIRECTORATE OF FOOD SAFETY AND QUALITY ASSURANCE PRIVATE BAG X5015 STELLENBOSCH 7599 SOUTH AFRICA  LABORATORY: DIRECTORATE OF FOOD SAFETY AND QUALITY ASSURANCE PRIVATE BAG X5015 STELLENBOSCH 7599 SOUTH AFRICA  7. TTB LABEL APPROVAL IDENTIFICATION NUMBER:  DATE: 21/07/11	CERTIFICATION OF	F NATURAL WINE INF	ORIES IN	IU INE	UNITED STA	IIES		
2. PRODUCER:    DILMERSFONTIEN WINES (PTY) LTD*MESSRS   P O BOX 41   WELLINGTON 7654   SOUTH AFRICA 2010 THOKOZANI SMV NATURAL DRY RED WINE   WINTAGE: 2010 CULTIVAR: SHIRAZ / MATARO (MOURVEDRE) / WIOGNIER   ORIGIN: W.O. WELLINGTON / SOUTH AFRICA    4. CHECK APPLICABLE BOX:   A	1 CERTIFICATE NUMBER :	2011/000000070510/1	2011/00000070510/1					
WELLINGTON 7654 SOUTH AFRICA  3. DESCRIPTION OF PRODUCT:  2010 THOKOZANI SMV NATURAL DRY RED WINE VINTAGE: 2010 CULTIVAR: SHIRAZ / MATARO (MOURVEDRE) / VIOGNIER ORIGIN: W.O. WELLINGTON / SOUTH AFRICA  4. CHECK APPLICABLE BOX:  A. Producing country certification and laboratory analysis results completed below.  B. Self-certification by importer completed below. An importer must be able to demonstrate the nature of ownership or control as well as the nature of any affiliation.  5. CERTIFICATION:  1. certify that the practices and procedures used to produce the wine described in block 2 constitute proper cellar treatment under 26 U.S.C. 5382 and 27 CFR 27.140.  CERTIFYING ENTITY:  DIRECTORATE OF FOOD SAFETY AND QUALITY ASSURANCE PRIVATE BAG X5015 STELLENBOSCH 7599 SOUTH AFRICA  DATE: 21/07/11  ANNELIZE ADAMS (EXPORT CLERK (DEPT)) ADMINISTERING OFFICER  6. ANALYSIS RESULTS  1. PERCENTAGE ALCOHOL 14.31 W Volume 17. TOTAL SULPHUR DIOXIDE 50.00 mg per Litre 17. OTAL SULPHUR DIOXIDE 50.00 mg per Litre 18. DIRECTORATE OF FOOD SAFETY AND QUALITY ASSURANCE PRIVATE BAG X5015 STELLENBOSCH 7599 SOUTH AFRICA  7. TTB LABEL APPROVAL IDENTIFICATION NUMBER:		DIEMERSFONTEIN WIN						
3. DESCRIPTION OF PRODUCT: 2010 THOKOZANI SMV NATURAL DRY RED WINE SOUTH AFRICA 2010 THOKOZANI SMV NATURAL DRY RED WINE VINTAGE: 2010 CULTIVAR: SHIRAZ / MATARO (MOURVEDRE) / VIOGNIER ORIGIN: W.O. WELLINGTON / SOUTH AFRICA  4. CHECK APPLICABLE BOX:  A. Producing country certification and laboratory analysis results completed below.  B. Self-certification by importer completed below. An importer must be able to demonstrate the nature of ownership or control as well as the nature of any affiliation.  5. CERTIFICATION:  1 certify that the practices and procedures used to produce the wine described in block 2 constitute proper cellar treatment under 26 U.S.C. 5382 and 27 CFR 27.140.  CERTIFYING ENTITY:  DIRECTORATE OF FOOD SAFETY AND QUALITY ASSURANCE PRIVATE BAG X5015 STELLENBOSCH 7599 SOUTH AFRICA  DATE: 21/07/11  ANALYSIS RESULTS  1. PERCENTAGE ALCOHOL 14.31 % Volume 2. ANALYSIS RESULTS  1. PERCENTAGE ALCOHOL 2. TOTAL SULPHUR DIOXIDE 3. VOLATILE ACIDITY 0.68 gept Lifte Under the proper cellar treatment under 26 U.S.C.  ANALYSIS RESULTS  LABORATORY:  DIRECTORATE OF FOOD SAFETY AND QUALITY ASSURANCE PRIVATE BAG X5015 STELLENBOSCH 7599 SOUTH AFRICA  7. TTB LABEL APPROVAL IDENTIFICATION NUMBER:	Z. / NODGGEN .	P O BOX 41	P O BOX 41					
3. DESCRIPTION OF PRODUCT: 2010 THOKOZANI SMV NATURAL DRY RED WINE VINTAGE: 2010 CULTIVAR: SHIRAZ / MATARO (MOURVEDRE) / VIOGNIER ORIGIN: W.O. WELLINGTON / SOUTH AFRICA  4. CHECK APPLICABLE BOX:  A. Producing country certification and laboratory analysis results completed below.  B. Self-certification by importer completed below. An importer must be able to demonstrate the nature of ownership or control as well as the nature of any affiliation.  5. CERTIFICATION:  1. certify that the practices and procedures used to produce the wine described in block 2 constitute proper cellar freatment under 26 U.S.C. 5382 and 27 CFR 27.140.  CERTIFYING ENTITY: DIRECTORATE OF FOOD SAFETY AND QUALITY ASSURANCE PRIVATE BAG X5015 STELLENBOSCH 7599 SOUTH AFRICA  DATE: 21/07/11  4. PERCENTAGE ALCOHOL 14.31 % Volume 14.31 % Volume 15.3. VOLATILE ACIDITY 0.68 g per Litre  1. CANALYSIS RESULTS  1. PERCENTAGE ALCOHOL 58.00 mg per Litre 2. TOTAL SULPHUR DIOXIDE 58.00 mg per Litre 2. TOTAL SULPHUR DIOXIDE 58.00 mg per Litre 3. VOLATILE ACIDITY 0.68 g per Litre  LABORATORY: DIRECTORATE OF FOOD SAFETY AND QUALITY ASSURANCE PRIVATE BAG X5015 STELLENBOSCH 7599 SOUTH AFRICA  7. TTB LABEL APPROVAL IDENTIFICATION NUMBER:								
VINTAGE: 2010 CULTIVAR: SHIRAZ / MATARO (MOURVEDRE) / VIOGNIER ORIGIN: W.O. WELLINGTON / SOUTH AFRICA  4. CHECK APPLICABLE BOX:  A. Producing country certification and laboratory analysis results completed below.  B. Self-certification by importer completed below. An importer must be able to demonstrate the nature of ownership or control as well as the nature of any affiliation.  5. CERTIFICATION:  1. certify that the practices and procedures used to produce the wine described in block 2 constitute proper cellar treatment under 26 U.S.C. 5382 and 27 CFR 27.140.  CERTIFYING ENTITY:  DIRECTORATE OF FOOD SAFETY AND QUALITY ASSURANCE PRIVATE BAG X5015 STELLENBOSCH 7599 SOUTH AFRICA  DATE: 21/07/11  ANALYSIS RESULTS  1. PERCENTAGE ALCOHOL 14.31 % Volume 700 Ministering OFFICER  6. ANALYSIS RESULTS  1. PERCENTAGE ALCOHOL 14.31 % Volume 900 Ministering OFFICER  1. PERCENTAGE ALCOHOL 14.31 % Volume 900 Ministering OFFICER  2. TOTAL SULPHUR DIOXIDE 58.00 mg per Litre VOLATILE ACIDITY 0.68 g per Litre  1. DIRECTORATE OF FOOD SAFETY AND QUALITY ASSURANCE 900 PRIVATE BAG X5015 STELLENBOSCH 7599 SOUTH AFRICA  7. TTB LABEL APPROVAL IDENTIFICATION NUMBER:  DATE: 21/07/11								
ORIGIN: W.O. WELLINGTON / SOUTH AFRICA  4. CHECK APPLICABLE BOX:  A. Producing country certification and laboratory analysis results completed below.  B. Self-certification by importer completed below. An importer must be able to demonstrate the nature of ownership or control as well as the nature of any affiliation.  5. CERTIFICATION:  1. certify that the practices and procedures used to produce the wine described in block 2 constitute proper cellar treatment under 26 U.S.C. 5382 and 27 CFR 27.140.  CERTIFYING ENTITY:  DIRECTORATE OF FOOD SAFETY AND QUALITY ASSURANCE PRIVATE BAG X5015 STELLENBOSCH 7599 SOUTH AFRICA  DATE: 21/07/11  ANNELIZE ADAMS (EXPORT CLERK (DEPT)) ADMINISTERING OFFICER  6. ANALYSIS RESULTS  1. PERCENTAGE ALCOHOL 14.31 % Volume 14.31 % Volume 15.30 mg per Litre 15.30 STELLENBOSCH 75.90 SOUTH AFRICA  7. TTB LABEL APPROVAL IDENTIFICATION NUMBER:	3. DESCRIPTION OF PRODUCT	: 2010 THOKOZANI SMV	2010 THOKOZANI SMV NATURAL DRY RED WINE					
4. CHECK APPLICABLE BOX:  A. Producing country certification and laboratory analysis results completed below.  B. Self-certification by importer completed below. An importer must be able to demonstrate the nature of ownership or control as well as the nature of any affiliation.  5. CERTIFICATION:  I certify that the practices and procedures used to produce the wine described in block 2 constitute proper cellar treatment under 26 U.S.C. 5382 and 27 CFR 27.140.  CERTIFYING ENTITY:  DIRECTORATE OF FOOD SAFETY AND QUALITY ASSURANCE PRIVATE BAG X5015 STELLENBOSCH 7599 SOUTH AFRICA  DATE: 21/07/11  ANNELIZE ADAMS (EXPORT CLERK (DEPT)) ADMINISTERING OFFICER  6. ANALYSIS RESULTS  1. PERCENTAGE ALCOHOL 14.31 % Volume 17.0 TAL SULPHUR DIOXIDE 58.00 mg per Litre 2. TOTAL SULPHUR DIOXIDE 58.00 mg per Litre 2. TOTAL SULPHUR DIOXIDE 58.00 mg per Litre 2. TOTAL SULPHUR DIOXIDE 58.00 mg per Litre 3. VOLATILE ACIDITY 0.88 g per Litre 2. TOTAL SULPHUR DIOXIDE 75.99 SOUTH AFRICA  7. TTB LABEL APPROVAL IDENTIFICATION NUMBER:  DATE: 21/07/11								
A. Producing country certification and laboratory analysis results completed below.  B. Self-certification by importer completed below. An importer must be able to demonstrate the nature of ownership or control as well as the nature of any affiliation.  5. CERTIFICATION:  I certify that the practices and procedures used to produce the wine described in block 2 constitute proper cellar treatment under 26 U.S.C. 5382 and 27 CFR 27.140.  CERTIFYING ENTITY:  DIRECTORATE OF FOOD SAFETY AND QUALITY ASSURANCE PRIVATE BAG X5015 STELLENBOSCH 7599 SOUTH AFRICA  DATE: 21/07/11  ANNELIZE ADAMS (EXPORT CLERK (DEPT)) ADMINISTERING OFFICER  6. ANALYSIS RESULTS  1. PERCENTAGE ALCOHOL 14.31 % Volume 14.31 % Volume 15.80 mg per Litre 17.89 mg per Litre 17.80 mg per Litre 18.80 mg		ORIGIN: W.O. WELLING	ORIGIN: W.O. WELLINGTON / SOUTH AFRICA					
B. Self-certification by importer completed below. An importer must be able to demonstrate the nature of ownership or control as well as the nature of any affiliation.  5. CERTIFICATION:  I certify that the practices and procedures used to produce the wine described in block 2 constitute proper cellar treatment under 26 U.S.C. 5382 and 27 CFR 27.140.  CERTIFYING ENTITY:  DIRECTORATE OF FOOD SAFETY AND QUALITY ASSURANCE PRIVATE BAG X5015 STELLENBOSCH 7599 SOUTH AFRICA  DATE: 21/07/11  ANNELIZE ADAMS (EXPORT CLERK (DEPT)) ADMINISTERING OFFICER  6.  ANALYSIS RESULTS  1.  PERCENTAGE ALCOHOL 14.31 % Volume TOTAL SULPHUR DIOXIDE 56.00 mg per Litre VOLATILE ACIDITY 0.68 g per Litre  1.  DIRECTORATE OF FOOD SAFETY AND QUALITY ASSURANCE PRIVATE BAG X5015 STELLENBOSCH 7599 SOUTH AFRICA  7. TTB LABEL APPROVAL IDENTIFICATION NUMBER:  DATE: 21/07/11								
as well as the nature of any affiliation.  5. CERTIFICATION:  I certify that the practices and procedures used to produce the wine described in block 2 constitute proper cellar treatment under 26 U.S.C.  5382 and 27 CFR 27.140.  CERTIFYING ENTITY:  DIRECTORATE OF FOOD SAFETY AND QUALITY ASSURANCE PRIVATE BAG X5015 STELLENBOSCH 7599 SOUTH AFRICA  DATE: 21/07/11  ANNELIZE ADAMS (EXPORT CLERK (DEPT)) ADMINISTERING OFFICER  6.  ANALYSIS RESULTS  1.  PERCENTAGE ALCOHOL TOTAL SULPHUR DIOXIDE 58.00 mg per Litre VOLATILE ACIDITY 0.68 g per Litre  DIRECTORATE OF FOOD SAFETY AND QUALITY ASSURANCE PRIVATE BAG X5015 STELLENBOSCH 7599 SOUTH AFRICA  7. TTB LABEL APPROVAL IDENTIFICATION NUMBER:								
I certify that the practices and procedures used to produce the wine described in block 2 constitute proper cellar treatment under 26 U.S.C. 5382 and 27 CFR 27.140.  CERTIFYING ENTITY:  DIRECTORATE OF FOOD SAFETY AND QUALITY ASSURANCE PRIVATE BAG X5015 STELLENBOSCH 7599 SOUTH AFRICA  DATE: 21/07/11  ANNELIZE ADAMS (EXPORT CLERK (DEPT)) ADMINISTERING OFFICER  1. PERCENTAGE ALCOHOL 14.31 % Volume TOTAL SULPHUR DIOXIDE 58.00 mg per Lifre VOLATILE ACIDITY 0.68 g per Lifre  LABORATORY:  DIRECTORATE OF FOOD SAFETY AND QUALITY ASSURANCE PRIVATE BAG X5015 STELLENBOSCH 7599 SOUTH AFRICA  7. TTB LABEL APPROVAL IDENTIFICATION NUMBER:	B. Self-certification by impo	rter completed below. An importe any affiliation.	er must be able	to demonstra	te the nature of o	wnership or c	ontrol	
CERTIFYING ENTITY:  DIRECTORATE OF FOOD SAFETY AND QUALITY ASSURANCE PRIVATE BAG X5015 STELLENBOSCH 7599 SOUTH AFRICA  DATE: 21/07/11  ANNELIZE ADAMS (EXPORT CLERK (DEPT)) ADMINISTERING OFFICER  ANALYSIS RESULTS  1. PERCENTAGE ALCOHOL 14.31 % Volume 2. TOTAL SULPHUR DIOXIDE 58.00 mg per Litre 3. VOLATILE ACIDITY 0.68 g per Litre LABORATORY:  DIRECTORATE OF FOOD SAFETY AND QUALITY ASSURANCE PRIVATE BAG X5015 STELLENBOSCH 7599 SOUTH AFRICA  7. TTB LABEL APPROVAL IDENTIFICATION NUMBER:	5. CERTIFICATION:							
CERTIFYING ENTITY:  DIRECTORATE OF FOOD SAFETY AND QUALITY ASSURANCE PRIVATE BAG X5015 STELLENBOSCH 7599 SOUTH AFRICA  DATE: 21/07/11  ANNELIZE ADAMS (EXPORT CLERK (DEPT)) ADMINISTERING OFFICER  ANALYSIS RESULTS  1. PERCENTAGE ALCOHOL 14.31 % Volume 2. TOTAL SULPHUR DIOXIDE 58.00 mg per Litre 3. VOLATILE ACIDITY 0.68 g per Litre LABORATORY:  DIRECTORATE OF FOOD SAFETY AND QUALITY ASSURANCE PRIVATE BAG X5015 STELLENBOSCH 7599 SOUTH AFRICA  7. TTB LABEL APPROVAL IDENTIFICATION NUMBER:								
PRIVATE BAG X5015 STELLENBOSCH 7599 SOUTH AFRICA  ANNELIZE ADAMS (EXPORT CLERK (DEPT)) ADMINISTERING OFFICER  6. ANALYSIS RESULTS  1. PERCENTAGE ALCOHOL 14.31 % Volume 2. TOTAL SULPHUR DIOXIDE 58.00 mg per Litre 3. VOLATILE ACIDITY 0.68 g per Litre  LABORATORY: DIRECTORATE OF FOOD SAFETY AND QUALITY ASSURANCE PRIVATE BAG X5015 STELLENBOSCH 7599 SOUTH AFRICA  7. TTB LABEL APPROVAL IDENTIFICATION NUMBER:		s used to produce the wine descri	ribed in block 2	constitute pro	per cellar treatme	ent under 26	U.S.C.	
DATE: 21/07/11  ANNELIZE ADAMS (EXPORT CLERK (DEPT)) ADMINISTERING OFFICER  ANALYSIS RESULTS  1. PERCENTAGE ALCOHOL 14.31 % Volume 2. TOTAL SULPHUR DIOXIDE 58.00 mg per Litre 3. VOLATILE ACIDITY 0.68 g per Litre  LABORATORY: DIRECTORATE OF FOOD SAFETY AND QUALITY ASSURANCE PRIVATE BAG X5015 STELLENBOSCH 7599 SOUTH AFRICA  7. TTB LABEL APPROVAL IDENTIFICATION NUMBER:	CERTIFYING ENTITY:	PRIVATE BAG X5015 STELLENBOSCH						
ANALYSIS RESULTS  1. PERCENTAGE ALCOHOL 14.31 % Volume 2. TOTAL SULPHUR DIOXIDE 58.00 mg per Litre 3. VOLATILE ACIDITY 0.68 g per Litre  LABORATORY: DIRECTORATE OF FOOD SAFETY AND QUALITY ASSURANCE PRIVATE BAG X5015 STELLENBOSCH 7599 SOUTH AFRICA  7. TTB LABEL APPROVAL IDENTIFICATION NUMBER:		SOUTH AFRICA	JTH AFRICA					
ANALYSIS RESULTS  1. PERCENTAGE ALCOHOL 14.31 % Volume 2. TOTAL SULPHUR DIOXIDE 58.00 mg per Litre 3. VOLATILE ACIDITY 0.68 g per Litre  LABORATORY: DIRECTORATE OF FOOD SAFETY AND QUALITY ASSURANCE PRIVATE BAG X5015 STELLENBOSCH 7599 SOUTH AFRICA  7. TTB LABEL APPROVAL IDENTIFICATION NUMBER:								
6.  ANALYSIS RESULTS  1. PERCENTAGE ALCOHOL 14.31 % Volume 2. TOTAL SULPHUR DIOXIDE 58.00 mg per Litre 3. VOLATILE ACIDITY 0.68 g per Litre  LABORATORY: DIRECTORATE OF FOOD SAFETY AND QUALITY ASSURANCE PRIVATE BAG X5015 STELLENBOSCH 7599 SOUTH AFRICA  7. TTB LABEL APPROVAL IDENTIFICATION NUMBER:	DATE: 21/07/11		The state of the s				EPT))	
1. PERCENTAGE ALCOHOL 14.31 % Volume 2. TOTAL SULPHUR DIOXIDE 58.00 mg per Litre 3. VOLATILE ACIDITY 0.68 g per Litre  LABORATORY: DIRECTORATE OF FOOD SAFETY AND QUALITY ASSURANCE PRIVATE BAG X5015 STELLENBOSCH 7599 SOUTH AFRICA  7. TTB LABEL APPROVAL IDENTIFICATION NUMBER:		ADMINISTE	NISTERING OFFICER					
1. PERCENTAGE ALCOHOL 14.31 % Volume 2. TOTAL SULPHUR DIOXIDE 58.00 mg per Litre 3. VOLATILE ACIDITY 0.68 g per Litre  LABORATORY: DIRECTORATE OF FOOD SAFETY AND QUALITY ASSURANCE PRIVATE BAG X5015 STELLENBOSCH 7599 SOUTH AFRICA  7. TTB LABEL APPROVAL IDENTIFICATION NUMBER:								
2. TOTAL SULPHUR DIOXIDE 58.00 mg per Litre 3. VOLATILE ACIDITY 0.68 g per Litre  LABORATORY: DIRECTORATE OF FOOD SAFETY AND QUALITY ASSURANCE PRIVATE BAG X5015 STELLENBOSCH 7599 SOUTH AFRICA  7. TTB LABEL APPROVAL IDENTIFICATION NUMBER:	6.	ANALYSIS F	RESULTS					
2. TOTAL SULPHUR DIOXIDE 58.00 mg per Litre 3. VOLATILE ACIDITY 0.68 g per Litre  LABORATORY: DIRECTORATE OF FOOD SAFETY AND QUALITY ASSURANCE PRIVATE BAG X5015 STELLENBOSCH 7599 SOUTH AFRICA  7. TTB LABEL APPROVAL IDENTIFICATION NUMBER:	1.	PERCENTAGE ALCOHOL	14.31	ř	% Volume			
LABORATORY:  DIRECTORATE OF FOOD SAFETY AND QUALITY ASSURANCE PRIVATE BAG X5015 STELLENBOSCH 7599 SOUTH AFRICA  7. TTB LABEL APPROVAL IDENTIFICATION NUMBER:  DATE: 21/07/11		TOTAL SULPHUR DIOXIDE	58.00					
PRIVATE BAG X5015 STELLENBOSCH 7599 SOUTH AFRICA  7. TTB LABEL APPROVAL IDENTIFICATION NUMBER:  DATE: 21/07/11	3.	VOLATILE ACIDITY	0.68		g per Litre			
SOUTH AFRICA  7. TTB LABEL APPROVAL IDENTIFICATION NUMBER:  DATE: 21/07/11	LABORATORY:	PRIVATE BAG X5015 STELLENBOSCH	FETY AND QUA	ALITY ASSUF	RANCE			
DATE: 21/07/11		SOUTH AFRICA				3		
	7. TTB LABEL APPROVAL IDENTIFICATION NUMBER:					) ·		
					. 93			
	DATE: 21/07/11			1	D.			
	SALE, ENGINE			ANNEL 17	'E ADAMS (EXP	ORT CLERK		

ADMINISTERING OFFICER

(DEPT))