



08-9469017 :טל 08-9475693/4 :טל 76120 רחובות 2329 ת.ד. 4 ת.ד. הרמ"ז

P.O.B 2329 Rehovot 76120 Tel: 972-8-9475693/4 Fax: 972-8-9469017 Email: office@iwi.org.il

תוקף: 6.12.11	גירסה: 2	טופס מס' T56	נספח א' לנוהל מס' A20
---------------	----------	--------------	-----------------------

6-4-2012

## Certificate of Analysis

### Export

**Sample Number:** LU-1-12

**Date of printing:** 04/06/2012      **Date of analysis:** 03/06/2012      **Date of sample entering:** 28/05/2012

**Product Designation:** LUERIA ROSSO 2010 - dry red wine  
**Drink Type:** Wine      **Produced by:** LUERIA  
**Container:** Bottle      **Address:**  
**Content (ml):** 750      **Phone:**  
**Declared % Alcohol:** 13.5      **Fax:**

Analytical Parameter	Results	Units	Method of Analysis
*Actual Alcohol Content by Vol (20°C)	14.83	%	Procedure No.B2, based on OIV 2009
*Specific Gravity D 20/20	0.9924		Procedure No.B3, based on OIV 2009
Residual Sugars	2.3	g/l	Wet Chemistry
Total Dry Extract	29.4	g/l	Hydrostatic Balance
*Total Acidity as Tartaric Acid	5.0	g/l	Procedure No. B8, based on OIV 2009
*Volatile Acidity as Acetic Acid	0.6	g/l	Procedure No.B4, based on OIV 2009
*Total Sulfur Dioxide	142	mg/l	Procedure No.B5, based on OIV 2009
*Total Acidity	67.00	meq/l	Procedure No. B8, based on OIV 2009
*Volatile Acidity	10.02	meq/l	Procedure No.B4, based on OIV 2009
Citric Acid	None	g/l	HPLC

- BDL - Below Detection Limit.
- The use of ISIRAC symbol relates only to the tests which are included in the organization scope of accreditation (marked by asterisk), and performed according to the accreditation rules as detailed in the accreditation certificate.
  - ISIRAC is not responsible for the analysis results and the accreditation is not an acceptance for the product/ process examined.
  - The test sample was brought by the client.
  - The results relate to the specified test sample.
  - The certificate can be used only in its complete form and parts can not be copied to other documents.

**Remarks:**  
 - A deviation of 1.4% in alcohol was found between the actual and the declared value.



**Signature:** *[Signature]*      **Name:** Hadar Kless


**Responsibility:** Lab Manager      **Date:** 04/06/2012



המכון הישראלי לייין  
**THE ISRAEL WINE INSTITUTE**

ת.ד. 2329 רחובות 76120 טל: 08-9475693/4 פקס: 08-9469017

P.O.B 2329 Rehovot 76120 Tel: 972-8-9475693/4 Fax: 972-8-9469017 Email: office@iwi.org.il



תוקף: 6.12.11	גירסה: 2	טופס מס' T56	נספח א' לנוהל מס' A20
---------------	----------	--------------	-----------------------

# Certificate of Analysis

## Export

6-4-20h

Sample Number: LU-2-12

Date of printing: 04/06/2012

Date of analysis: 03/06/2012

Date of sample entering: 28/05/12

Product Designation: LUERIA GRAND VITAL 2010 - dry red wine

Drink Type: Wine

Produced by: LUERIA

Container: Bottle

Address:

Content (ml): 750

Phone:

Declared % Alcohol: 14.0

Fax:

Analytical Parameter	Results	Units	Method of Analysis
*Actual Alcohol Content by Vol (20°C)	15.20	%	Procedure No.B2, based on OIV 2009
*Specific Gravity D 20/20	0.9935		Procedure No.B3, based on OIV 2009
Residual Sugars	2.3	g/l	Wet Chemistry
Total Dry Extract	33.6	g/l	Hydrostatic Balance
*Total Acidity as Tartaric Acid	5.4	g/l	Procedure No. B8, based on OIV 2009
*Volatile Acidity as Acetic Acid	0.6	g/l	Procedure No.B4, based on OIV 2009
*Total Sulfur Dioxide	165	mg/l	Procedure No.B5, based on OIV 2009
*Total Acidity	72.00	meq/l	Procedure No. B8, based on OIV 2009
*Volatile Acidity	10.22	meq/l	Procedure No.B4, based on OIV 2009
Citric Acid	None	g/l	HPLC

BDL - Below Detection Limit.

- The use of ISIRAC symbol relates only to the tests which are included in the organization scope of accreditation (marked by asterisk), and performed according to the accreditation rules as detailed in the accreditation certificate.
- ISIRAC is not responsible for the analysis results and the accreditation is not an acceptance for the product/ process examined.
- The test sample was brought by the client.
- The results relate to the specified test sample.
- The certificate can be used only in its complete form and parts can not be copied to other documents.

**Remarks:**

- A deviation of 1.2% in alcohol was found between the actual and the declared value.



Signature: